




ELECTRICAL MATTING



CATERING & HOSPITALITY MATTING



OFFICE & COMMERCIAL ENTRANCE MATTING



MATTING & UNDERFOOT ACCESSORIES

PRODUCT GUIDE

Matting & Underfoot Accessories



Safety and comfort - Begins with the floor you stand on



How to contact us

Phone 1800 312 528 Email sales@workwellmats.au

Our sales office opening hours are 8:00am to 5:00pm Monday to Friday.

The Work Well Mats' (WWM) sales team is well trained and only too happy to provide technical assistance and guidance to clients when required. Alternatively, send us an email at any time.



Site Surveys

We offer a free site survey throughout Australia. Our experienced sales team will come to your premises and make recommendations to suit your environment and budget. Whether it is product choice or measuring the installation area, we can help.



Logistics

Work Well Mats, with sales offices and warehouse facilities nationwide, can distribute product swiftly throughout Australia. Further, our long-standing relationships with major national freight providers allow us to provide you with the best rates to all regions. With its full range now stocked in both major distribution centres, and by distributors in every state, standard stocked products can be despatched to all areas without delay. The service is prompt, efficient, and only ever a phone call away – experience the WWM difference today!



Customer Service

Work Well Mats is a customer focused business, providing high quality, efficient and reliable service from time of enquiry to after sales support. With support throughout Australia, we provide customers with local support and knowledge. Call our head office for assistance today.



Quality Policy

Quality is at the forefront of Work Well Mats' working practices. With over 15 years of manufacturing to the highest quality standards, the company prides itself on its reputation for implementing strict quality control measures, and strives to supply products that surpass customers expectations. The company works on a policy of 'continuous improvement'.



Environmental Policy

Work Well Mats is conscious of the impact it has on the environment and its associated responsibilities. The company is committed to ensuring its operations satisfy both legal obligations and moral duties. WWM continuously strives to address all green issues to protect the environment from energy reduction to recycling initiatives.

Welcome to WORK WELL MATS (WWM)

We are delighted to bring to you the latest collection of Work Well Mats.

As you will notice, we are pleased to introduce many new products to the Work Well Mats range, including a brand new range of Catering and Hospitality products. We have also expanded our product range to the Industrial, Commercial, Floor and boundary marking ranges.

With warehouses and distribution centres throughout Australia, Work Well Mats is the name you can rely on.

A brief history

Work Well Mats is one of the most established names in the manufacture and supply of underfoot safety products and matting throughout Australia.

For over 15 years, the Work Well Mats brand has been regarded as the most extensive range of anti-fatigue industrial safety mats, which is not surprising since the company was one of the first to introduce the concept of industrial 'safety matting' in Australia. Today, Work Well Mats remains amongst the top few importers of safety matting – a position which has been maintained through the continual development of our patented range of exclusive matting products.

Work Well Mats' commitment to our clients remains in our ability and willingness to constantly develop its position in the market as a leader and world-class supplier of rubber and fibreglass solutions through innovation and improvement.

The Work Well Mats today operates from Adelaide, South Australia, with localised sales and warehouse facilities in most other states.



INDUSTRIAL MATTING



ELECTRICAL MATTING



CATERING & HOSPITALITY MATTING



OFFICE AND COMMERCIAL ENTRANCE MATTING



MATTING AND UNDERFOOT ACCESSORIES



CONTENTS

INTRODUCTION


- 02 Contact Details/Work Well Mats' Policies
- 03 Welcome to Work Well Mats/ Brief History
- 04 Contents
- 06 Application Chart

INDUSTRIAL MATTING

.

.

.



07

CONTENTS

CATERING AND HOSPITALITY MATTING 26 • Anti-slip HYGI-MAT KWIK-KLEEN + • Anti-fatigue Page 28 Page 27 Hygienic AQIS approved **OFFICE AND COMMERCIAL ENTRANCE MATTING** 29 Internal entrance External entrance **DIAMOND TREAD POLY RIB** Page 30 Page 31 Carpet mats Coir mats Logo mats . PRB Chair mats LOGO MAT **TACKY TRACK** Page 32 Page 33 **MAXI GUARD COIR MAT** Page 34 Page 35 **CHAIR MATTING** Page 35

ELECTRICAL MATTING

- Conductive mats
- Static mats
- Non-conductive & insulating mats



SWITCHBOARD MATTING Page 38

SOFT STEP ANTI-STATIC ESD Page 39

MATTING AND UNDERFOOT ACCESSORIES



37

40



APPLICATION CHART

	Restaurants	Engineering	Dry Welding	Timber Industry	Printing	Laboratories	Beverage	Warehouse	Abattoirs	Meat Rooms	Bakeries	Front Bars	Freezer Rooms	Checkouts	Counter, Postal	Dairy	Oily Manufacture	Mining	Fishing	Vehicle	Internal Entrance	External Entrance
INDUSTRIAL MATTING																						
ERGO-TRED			٠	•	•			•						•	•							
EURO-MAT				•	•	٠	٠	•	٠					•	٠			•				
EURO-LOCKER			•	•	•	•	•	•	•					•	•							
ULTIMAT N		٠	٠			٠	•	•	٠	•	•	•				•	•	•				
ULTIMAT S	•	•	٠			•	•	•	•	•	•	•				•	•	•				
ULTIMAT GREY	•								•	•	•					٠	•	•	•			
OPTI-MAT N			٠	•	•	•	•	•				•	•	•	٠	•		•	•			•
OPTI-MAT S	•	٠	٠			•	•	•	•	•	•	•				٠		•	•			
OPTI-MAT GREY	•	•							•	•	•					•	•		•			
DECKLOCK		•	•	•			•							•	•							
COMFY-GRIP	•					•	•		•	•	•						•		•			
ENGINEERS MAT		•	•		•		•	•										•	•			
DURATRED				•		•								•	•							
ULTRA-GRIP		•	٠			•			•				•						•			
SOFT STEP	•				•	•		•					•	•	•							
UTILITY MATTING												•					•			•		
CATERING AND HOSPITA	LITY	ΜΑΤΊ	TING																			
HYGI-MAT	•					•	•		•	•	•	•				•			•			
KWIN KLEEN +	•					•	•		•	•	•	•	•	•		•	•		•			
COMMERCIAL AND OFFIC	E MA	ATTIN	G																			
DIAMOND TREAD	•				•							•									•	•
POLYRIB	•				•		•					•									•	•
LOGO MAT	•							Suit	able	for o	ffice	use	and	busir	iess	use					•	•
TACKY TRACK						•	•	•													•	•
FOOT BATH MAT						•	•		•	•	•					•			•			
COIR MAT	•																				•	•
CHAIR MATTING											Su	uitab	le fo	r offi	ce us	se						
MAXI GUARD	•					•		•														•
ELECTRICAL MATTING																						
SWITCH BOARD MATTIN	G		•						•	•								•	•			
SOFT STEP ANTI-STATIC	ESO					•								•								

Mats used in wet greasy applications may require scheduled cleaning to ensure optimum performance. Ask your distributor about your application.

All specs E&OE

INDUSTRIAL MATTING

Work Well Mats offers one of the largest selections of industrial safety matting, whether it is to reduce slips in the workplace or to reduce fatigue when standing at a counter, we have it.

OH&S claims are expensive. Anti-fatigue matting is a small price to pay for increased safety.





THE BATTLE AGAINST WORKER FATIGUE

Work Well Mats has over 15 years experience in providing effective solutions to physical fatigue suffered by workers.

Prolonged standing on hard floors causes leg, knee, back and neck problems. Muscles become tired and weary and varicose veins can develop due to restricted blood flow against gravity up through the legs. The pressure of a hard floor can cause stiffness and tension in the back, shoulders and neck. These health hazards can cause lower productivity, poor quality, absenteeism in the workforce and even compensation and insurance costs.

Whether you are:

- · standing on a cold industrial floor by a machine or on a production line;
- on a warehouse floor by a despatch or packaging bench;
- in a high tech laboratory research facility; or even
- · serving customers at a retail counter...

...we have the answer for your needs.

Research has shown that Work Well Mats Anti-Fatigue Matting will -

- 1. Increase productivity by stopping fatigue setting in.
- 2. Ease the stiffness in neck and shoulders which can cause headaches.
- Reduce the pressure which prolonged standing puts on the spine and strain on the back muscles which commonly gives rise to lower back pain.
- 4. Halve the amount of energy used up to support muscles in the back and legs.
- 5. Stimulate circulation guarding against varicose veins which can develop due to restricted blood flow up through the legs.
- 6. Encourage frequent foot movement as users move their feet more regularly to adapt to underfoot cushioning, assisting healthy blood circulation.
- 7. Reduce arch and heel pain caused by flattening of the feet.

Be wise; think ahead.


Remember, prevention is better than cure combat fatigue now!



Safety and comfort - Begins with the floor you stand on



ERGO-TRED



"It has been proven that Ergo-Tred has been effective on our production lines for years." – Production Manager

0


FEATURES

- Domed surface designed to create a comfortable working environment by reducing strain.
- Air cushioned design relieves stress and increases circulation.
- Designed to reduce worker downtime and increase productivity.
- Heavy-duty construction in quality rubber that will NOT harden over time.
- Custom made to ensure maximum efficiency and comfort within any individual work area.



Flexible dome construction, purpose built for optimal worker health, comfort and productivity

SPECIFICATI	SPECIFICATIONS		
Warranty	Three year limited warranty		
Sizes	0.9 m x 1.2 m standard		
	0.9 m runner		
	1.2 m runner		
	Custom sizes available – contact us on 1800 312 528		
Colour	Black with black bevelled edge		
	Black with yellow bevelled edge		
Safety	Bevelled edges to prevent tripping. Comes as an easy to carry 8 kg unit		
Applications	Dry Welding, Timber Industry, Printing, Packaging, Counter Sales and Workshops		







EURO-MAT



FEATURES


- Non-slip chequered-plate pattern looks great and offers a non-slip easy to clean surface.
- Heavy-duty rubber with optional grease proof formula that will stand the test of time.
- Underside suction cup design, increases traction to painted and slippery surfaces.
- Flat top design for those who may have identified potential "foot roll".
- Increase worker awareness and productivity.



Non-slip checker plate pattern offers a non-slip, easy to clean surface

SPECIFICATI	SPECIFICATIONS		
Warranty	Three year limited warranty		
Sizes	0.9 m x 1.2 m standard		
	0.9 m runner		
	1.2 m runner		
	Custom sizes available – contact us on 1800 312 528		
Colour	Black with black bevelled edge		
	Black with yellow bevelled edge		
Safety	Natural compounded rubber		
	Grease proof nitrile/SBR compound		
Applications	Engineering & Maintenance, Abattoirs Printing, Laboratories, Beverage		


PRODUCT RATING



SIZING

EURO-LOCKER

Euro-Locker has the combined comforts of Euro-Mat on a larger scale



FEATURES

- User friendly clip together design makes for better manoeuvrability.
- Smooth interlocker joints make for easy sweeping.
- Underside suction cup system is excellent on slippery floors and also provides a cushioning effect.



User friendly clip together system makes for better flexibility in layout and design.



SPECIFICATI	ONS
Warranty	Three year limited warranty
Sizes	Custom sizes available - contact us on 1800 312 528
Colour	Standard black. Optional grey or blue as well as yellow borders available on request
Safety	Easier installation achieved with the unique clip together design
Applications	Production Lines, Automotive Industry, Walkways, Abattoirs, Laboratories and Dairy





ULTIMAT S & N



FEATURES

- Unique hole design allows for drainage of water and accumulated debris.
- Raised grip points increase traction in oily or wet conditions.
- Unique design reduces down time, increasing profitability.
- Easily cleaned with WWM's specified products. Phone for further assistance.
- Increase worker awareness and productivity.



Unique hole design allows for drainage of accumulated debris

SPECIFICATI	SPECIFICATIONS		
Warranty	Three year limited warranty		
Sizes	0.9 m x 1.5 m		
	0.9 m runner		
	1.2 m runner		
	Custom sizes available – contact us on 1800 312 528		
Colour	Standard black		
Formulation	Natural compounded rubber		
	Grease resistant nitrile compound		
Applications	Laboratories, Engineering, Ablution Blocks, Wine & Timber Industry, Fishing, Dairy and Printing		
PRODUCT RATING			
Comfort			





ULTIMAT GREY




FEATURES

- High quality grease proof formulation increases durability in oily areas.
- Raised design on the surface provided for greater traction in oily conditions.
- No-trip edges on all sides.
- Easy to move product for regular cleaning.
- Profile on underside of mat provides anti-fatigue cushioning and increased mat to floor traction.



Bevelled no-trip edges on all sides prevent costly slips

SPECIFICATIONS Three year limited warranty Warranty Sizes 0.9 m x 1.5 m 0.9 m runner 1.2 m runner Custom sizes available - contact us on 1800 312 528 Colour Standard grey **Foundations** Grease proof SBR compound Applications Extremely greasy enviroments, Kitchens with insuficient drainage, Wineries, Fishing and Dairy








OPTI-MAT S & N




FEATURES

- Specialised rubber formulation offers the ultimate solution with a light and easy to handle product.
- Directional drainage grooves remove water and grease, making for a safer environment.
- No holes or cavities to trap bacteria.
- Meets relevant food grade standards. Phone for further assistance.
- Specialised Nitrile construction ensures maximum grease resistance.



Slip-free raised surface provides an ideal solution to greasy conditions

SPECIFICAT	SPECIFICATIONS		
Warranty	Three year limited warranty		
Sizes	0.9m x 1.5m		
	0.9m runner		
	1.5m runner		
	Custom sizes available – contact us on 1800 312 528		
Colour	Standard black		
Formulation	Natural compounded rubber		
	Grease resistant nitrile compound		
Applications	Engineering Environments, Wineries, Restaurants and Food Processing		





OPTI-MAT GREY




FEATURES

- High quality grease proof formulation increases durability in oily areas.
- Raised design on the surface provided for greater traction in oily conditions.
- No-trip edges on all sides.
- Easy to move product for regular cleaning.
- Profile on underside of mat provides anti-fatigue cushioning and increased mat to floor traction.



Directional drainage grooves remove water and grease, making for a safer environment

SPECIFICATIONS Three year limited warranty Warranty Sizes 0.9m x 1.5m 0.9m runner 1.5m runner Custom sizes available - contact us on 1800 312 528 Colour Standard grey Foundations Grease proof SBR compound **Applications** Oily Industrial Environments, Abattoirs, Dairy, Kitchens, Wineries, Fishing and Dairy







DECKLOCK

 Modular interlocking runner provides


 maximum safety, visibility and comfort

FEATURES

- Non-directional chequered-plate surface provides ultimate grip.
- Underside moulded rubber air pockets make Decklock a comfortable yet cost effective alternative.
- Two piece configuration makes construction of long length products achievable.
- Narrow construction make this product ideal for walkways.
- Large bevelled edge eliminates slips, trips and falls.




SPECIFICAT	SPECIFICATIONS		
Warranty	Three year limited warranty		
Sizes	Centres 0.71 m x 1.0 m		
	Ends – 0.71 m x 0.3 m		
Colour	Black with a yellow or black border		
Safety	Easy clip together system using light manoeuvrable panels. Large 50 mm yellow bevelled ramp		
Applications	Dry Applications, Workshops, Counter Areas, Production Lines		





COMFY-GRIP




FEATURES

- Stud pattern provides an ideal non-slip surface for applications where grease and water are present.
- Special suction cup design provides an excellent solution to slippery floors and provides a cushioning effect.
- Uniquely designed bevelled edge ensures maximum drainage and removal of unwanted spills.



Ideal non-slip surface for applications where grease and water is present.

SPECIFICATIONS Warranty Three year limited warranty Sizes 0.9 m x 1.2 m standard 0.9 m runner 1.2 m runner Custom sizes available - contact us on 1800 312 528 Colour Black with yellow bevelled edge **Foundations** Grease proof SBR compound Applications Laboratories, Beverage Industry, Abattoirs and Offshore








ENGINEERS MAT




FEATURES

- Elevated rib design provides maximum traction reducing 'time off injuries'.
- Large hole gives good drainage and allows swarf and weld spatter to fall through.
- 25 mm thick heavy-duty abrasion resistant rubber.
- Heavy-duty design aims to keep your plant cleaner and safer.
- Large 50 mm yellow safety bevelled edge provides a visible non-slip edge.



Elevated rib design provides maximum traction reducing 'time off injuries.'


SPECIFICATI	SPECIFICATIONS		
Warranty	Three year limited warranty		
Sizes	1.05 m x 1.55 m		
	1.05 m runner		
	1.55 m runner		
	Custom sizes available – contact us on 1800 312 528		
Colour	Black without bevelled edge		
	Black with yellow bevelled edge		
Formulation	Natural compounded rubber		
Applications	Heavy Industry, Mining, Beverage, Engineering and Heavy Welding		





DURATRED

The ultimate anti-fatigue comfort in the workplace



BLACK CHECKER-PLATE



BLUE MARBLE





FEATURES


- Chequered-plate pattern gives great visual appearance and offers an ultimate anti-slip surface.
- Slight gradient safety bevelled edges.
- Aerated Foam provides a soft but firm footing that gives increased performance to the user.
- 16 mm overall thickness, also available in 12 mm.

WarrantyThree year limited warrantySizes0.6 m x 0.9 m, 0.9 m x 1.5 m0.6 m runner, 0.9 m runner, 1.2 m runnerCustom sizes available – contact us on
1800 312 528ColourSee colour swatches adjacent

ConstructionLow density foam makes lifting easy. Also
available in static dissipative material.ApplicationsCheckout areas, Laboratories, Hazardous,
substance testing areas

PRODUCT RATING

SPECIFICATIONS








ULTRA-GRIP




FEATURES

- Unique clean patterned face provides maximum grip and eliminates costly falls.
- Dimpled underside grips the floor even on slopes or in oily conditions.
- 4 mm solid rubber compound provides heavy-duty construction.
- Specialised nitrile construction designed to be low profile yet tough.
- Low profile construction allows uninterrupted trolley traffic.




Unique cleat patterned face provides maximum grip and eliminates costly falls

SPECIFICATI	ONS
Warranty	Three year limited warranty
Sizes	0.9m x 1.5m
	0.9m runner
	1.5m runner
	Custom sizes available – contact us on 1800 312 528
Colour	Standard black. Refer to Comfy Grip if yellow border is required.
Formulation	Grease-resistant nitrile/SBR compound
Applications	Freezer Rooms, Abattoirs and Laboratories





SOFT STEP




FEATURES

- All round bevelled edges for your safety can be fitted with yellow border. Cleans easily with a mop, broom or hose.
- Optional static dissipative material makes Soft Step ideal for electronic or hazardous areas.
- Insulates your feet against cold concrete floors.



All round bevelled edges for your safety – can be fitted with yellow border

SPECIFICATIONSWarrantyThree year limited warrantySizes0.9 m runnerFor ESD sizes (Electrostatic Dissipative) –
contact us on 1800 312 528ColourStandard greySurfaceRibbedPebbledApplicationsRetail Counters, Laboratories, Test Benches,
Electronics Manufacturing





COMFY WORX




FEATURES

- Carefully designed to find the right balance between cushioning and foot support
- Aerated high tech foam provides a soft but firm footing that gives increased performance to the user.
- 19 mm overall thickness.
- Aids in delaying the onset of fatigue experienced from standing on hard floor surfaces.
- Handy size and weight for ease of handling.
- Slight gradient safety bevelled edges.

SPECIFICATI	SPECIFICATIONS		
Warranty	Five year limited warranty		
Sizes	0.5 X 1m		
	0.9 X 1.8m		
Colour	Standard black		
Formulation	Low density polyeurathane foam makes lifting easy.		
Applications	Checkout areas, production lines, work stations		




Ideal for behind counters and supermarkets where long standing is required



UTILITY MATTING



STANDARD



EURO-MAT





SPECIFICATIONS

WarrantyOne year limited warrantySizesMost sizes for current models are available
Custom sizes available – contact us on
1800 312 528ColourStandard blackApplicationsUtes, Truck Trays and Trailers

FEATURES

- Protects the surface of your vehicle as well as the goods that you carry.
- Custom made to suit any shape.
- Eliminates sliding and movement of goods.
- Various configurations available to suit your requirements.







FOOT BATH MAT



FEATURES

- High ramp edges designed to contain anti-microbial or any sanitising chemical solutions for boot dipping.
- Yellow bevelled edges enhance visibility and safety whilst increasing awareness that boot dip is required.
- Base of boot dip boasts hundreds of rubber bristles which trap dirt and grit whilst encouraging sanitation of grip on the underside of shoes and boots.



High ramp edges designed to contain anti-microbial or any sanitising chemical solutions for boot dipping

RELATED PRODUCT

Excellent foot wash solution, ideal for the food industry.

SANI-PLUS








CATERING & HOSPITALITY MATTING

Work Well Mats has a range of anti-fatigue safety matting designed specifically for bars, kitchens and food processing environments that is second to none.

Work Well Mats' exclusive range includes AQIS approved mats, as well as extremely lightweight mats for ease of cleaning.







FEATURES

- Superior matrix design allows drainage of water, oil and general debris.
- 50 mm enlarged ramp reduces slips, trips and falls.
- Underside suction cup profile provides anti-fatigue cushioning and holds mat firmly in place.
- Highly formulated rubber stops hardening and cracking over time.
- Uniquely designed for ease of cleaning.




Underside suction cup profile provides anti-fatigue cushioning and holds mat firmly in place

SPECIFICATIONS

Warranty	Three year limited warranty
Sizes	0.9 m x 1.5 m standard
	0.9 m runner
	1.2 m runner
	Custom sizes available – contact us on 1800 312 528
Colour	Black grease-resistant
	Terracotta grease proof
Formulation	Natural grease-resistant rubber
	Grease proof nitrile/SBR compound
Applications	Wineries, Restaurants and Food Processing

PRODUCT RATING



SIZING

CATERING & HOSPITALITY MATTING

KWIK-KLEEN +



FEATURES


- Closed cell sponge rubber construction provides an excellent solution to fatigue.
- Hygienic anti-microbial agent properties inhibit growth of bacteria this impregnated agent cannot rub off or stain, and will withstand the rigours of industrial cleaning.
- Raised texture 'crisscross' grip surface provides excellent slip resistance.
- Ideally located drainage orifices provide a perfect underfoot anti-slip product for commercial food preparation areas and kitchens.
- Lightweight construction allows for ease of handling, cleaning and moving.
- Mats can be commercially laundered or simply washed with just hot soapy water no need to bother with chlorine any longer.
- Lightweight construction allows for ease of handling, cleaning and moving.



Closed cell sponge rubber construction provides an excellent solution to fatigue



SPECIFICATIONS		
Warranty	Three year limited warranty	
Sizes	0.9 m x 1.5 m	
	0.9 m runner	
	1.5 m runner	
	Custom sizes available – contact us on 1800 312 528	
Colour	Standard black	
Foundations	Natural compounded rubber	
	Grease-resistant nitrile compound	
Applications	Kitchens, Bars and Dishwasher Areas	



OFFICE & COMMERCIAL ENTRANCE MATTING

Keen to improve the first impression of your entrance, or protect your carpet?

From heavy-duty entrance matting to commercial grade chair matting, Work Well Mats' comprehensive range offers logical functionality.



DIAMOND TREAD


Enhance the image of your entrance - the instant corporate feel



GREEN



BROWN




GREY

FEATURES

- Unique 'Water Dam' edge traps dirt and water, preventing grime from being carried inside.
- Rubber backed product designed to provide extra wear and tear in high traffic areas.
- Easy to clean product, with cleaning accessories available.
- Four smart prestigious colours designed to enhance the image of your entrance.

SPECIFICATIONS	
Warranty	Three year limited warranty
Sizes	Standard 0.6 m x 0.9 m, 0.9 m x 1.5 m, 1.2 m x 1.8 m
	Runner widths 0.9 m, 1.2 m, 1.8 m
	Custom sizes available – contact us on 1800 312 528
Colour	Available in green, blue, brown and grey. Contact us for swatches – 1800 312 528
Construction	Heavy-duty multi denier yarn construction
Applications	Main internal entrances and passageways
PRODUCT RATING	







POLYRIB



FEATURES

- Heavy-duty corporate looking product that provides an economic upgrade for your entrance with a small nitrile defined border.
- Rubber backing to prevent movement on carpeted surfaces.
- Unique construction traps water and dirt caused by heavy traffic and inclement weather.
- Can be tailored to suit existing floor recesses.
- Easy to clean and lightweight.

SPECIFICATIONS	
Warranty	One year limited warranty
Sizes	Standard 0.6 m x 0.9 m, 0.9 m x 1.5 m, 1.2 m x 1.8 m
	Runner widths – 0.9 m, 1.2 m, 1.8 m
	Custom sizes available – contact us on 1800 312 528
Colour	See adjacent colour chart – contact us on 1800 312 528 for swatches
Construction	Heavy denier polypropylene needle punched material that absorbs water



GREEN


BROWN

BURGUNDY

CHARCOAL



BLUE



LOGO MAT



FEATURES

- Enchance the first impression of your company with floor protection with Work Well Mats' 100% custom Logo Mats.
- Experience WWM's second to none turnaround time with your Logo Mat even if you only require a single mat.
- Choose up to 8 colours from our huge 30 colour palette to 'show your true colours'.
- We offer in-house graphic design all that we require is an electronic copy of what you are seeking to promote and basic instructions about what you are seeking to achieve.
- Tough nitrile rubber backing ensures 100% resistance to oil and grease and that no slipping will occur.
- Heat-set nylon pile traps dirt better than standard alternatives and makes for a longer performance life.
- Unique WWM printing process makes for eye catching definition and visual clarity.



Unique WWM printing makes for eye catching definition and visual clarity



Colour choices

Please note the colours displayed are intended to be a fair description and are for illustration purposes only.

SPECIFICATIONS	
Sizes	0.85 m x 1.2 m, 1.5 m x 2.4 m
	Custom sizes available – 1.8 m x 6 m (maximum custom size) – contact us on 1800 312 528





TACKY TRAK



FEATURES

- The tacky surface of Tacky Trak clean room mats effectively removes any dirt and dust from shoes and castors, eliminating the chance of contaminants in clean room environments.
- Unique design ensures all dirt and dust trapped is contained simply remove and discard the top film once contaminated completely.
- Effective and easy to use, each Tacky Trak pad has 60 layers of a tough film laminated together in a stack.
- Clean room Tacky Trak mats offer economical dirt control for low-profile carpet, tile or concrete surfaces.
- Various size frames are available for use with the Tacky Trak mat and provide an excellent means of placing these mats in positions where they must be walked over before entry to the clean room environment can be gained.
- Each box or case consists of 10 pads, where each layer is numbered.




Each Tacky Trak pad has 60 numbered layers of a tough film laminated together in a stack

SPECIFICATIONS	
Sizes	0.6 m x 0.9 m
	0.9 m x 1.14 m
Colour	Standard Blue
Applications	Electronics Manufacture, Clean Rooms, Dust Free Environments, Hospitals, Laboratories and other sterile environments.



COIR MAT




FEATURES

- High quality coir design ensures value for money whilst adhering to the highest of standards.
- Makes dirt removal easy compared to alternative thinner products.
- Installation of mat and recess can be arranged on request.

SPECIFICATIONS	
Warranty	One year limited warranty
Construction	Natural/UV stable rubber compound
Sizes	2 m x any length Depth 30 mm, 23 mm, 17 mm









MAXI GUARD



FEATURES

- Rubber effectively scrubs shoes clean.
- Large 'no-trip' border designed to hold dirt, dust and up to 2 litres of water.

SPECIFICATIONS	
Warranty	One year limited warranty
Formulation	Natural/UV stable rubber compound
Sizes	Small 0.6 m x 0.9 m Medium 0.88 m x 0.99 m Large 0.9 m x 1.8 m




CHAIR MATTING



- Castor chairs slide with ease across the surface making it easier to work at your desk and move about while seated.
- Optional without carpet pins, enabling use in vinyl areas.
- Special keyed design enables foot area under desk to be covered.
- Saves replacing carpet.

SPECIFICATIONS	
Warranty	One year limited warranty
Formulation	UV Stable PVC
Sizes	Diplomat – 1.5 m x 1.2 m, Executive – 1.52 m x 1.17 m, Secretary – 1.22 m x 0.915 m Diplomat





The ideal solution to carpet wear in your office is a chair mat for all staff

會非計劃 等者 医压缩器器 計劃

CONDUCTIVE & STATIC DISSIPATIVE

- Designed to protect sensitive equipment by draining static electricity from workers before they come in contact with susceptible equipment or chemicals.
- Necessary in sensitive applications as even one discharge could destroy a computer or cause fire to ignite in the case of chemicals or liquids; and because personnel walking or moving in a chair fitted with castors very quickly gather static electricity.
- Electrically Conductive mats disperse static electricity quicker than Static Dissipative mats, meaning Electrically Conductive matting are more commonly used around highly sensitive equipment or components.
- It is recommended that Conductive and Dissipative matting be grounded for maximum effectiveness.



- Designed to insulate workers, protecting them from deadly shocks generated by high voltage equipment.
- Work Well Mats' Non-Conductive and Insulating mats are tested and proven to have high dielectric strength, and recommended where voltage exposure is present to ensure workers remain safe.
- Insulating matting is a true safety matting solution designed to save people's lives.





ELECTRICAL MATTING ACCESSORIES



SNAP KIT Easily and quickly installed with a screw driver.



GROUNDING CHORD

A convenient plug for earthing to mains ground. Complete with earth screw to accept ring terminals.



EARTH PLUG

A popular method of grounding mats in a simple manner. Simply plug into the stud on a mat.

ELECTRICAL MATTING

The Work Well Mats' range of electrical matting includes both conductive and resistant matting, as well as a selection of accessories designed to protect operators and components from the effects of electrical currents.





SWITCHBOARD MATTING




FEATURES

- Designed to insulate workers, protecting them from deadly shocks generated by high voltage equipment.
- Work Well Mats' Non-Conductive and Insulating mats are tested and proven to have high dielectric strength; and recommended where voltage exposure is conservative to ensure workers remain safe.
- Insulating matting is a true safety matting solution designed to save people's lives.





Insulating matting is a true safety matting solution designed to save people's lives







SOFT STEP ANTI-STATIC ESD




FEATURES

- Economical, anti-static matting for static sensitive areas.
- Easily adapted to suit almost any area.
- Bevelled edges designed to prevent trips yellow border also available.
- Designed to protect operators and workers from static build up.
- Effectively reduces fatigue from prolonged standing.
- Grounded via a 10 mm stud fitted to the mat maximum performance is guaranteed when used in conjunction with the floor mat grounding wire (see accessories section on page 40).

Bevelled edges designed

SPECIFICATIONS	
Warranty	One year limited warranty
Sizes	Standard 0.9 m x 1.5 m
	Runner 0.9 m x any length
Colour	Standard grey
Actual Resistivity	1 x 10 ⁵ Ω
Applications	Industry and General Manufacturing, Commercial and other static sensitive areas





MATTING & UNDERFOOT ACCESSORIES

Work Well Mats has for some years supplied a selection of accessories and ancillary items for our underfoot products, but we can offer more.

With a selection of products designed to compliment matting, this range has many newcomers with options for both permanent and temporary application.



RUG LOCK



FEATURES

- Designed to stop rubber matting and carpet matting from slipping on carpet or concrete.
- Lengths cut to suit.
- Special sticky surface can be removed and replaced for vacuuming etc.

SPECIFICATIONS

Sizes 0.9 m runner



CLEANING PRODUCTS



BRUSHES

Short Handle

Stiff Scrub

These quality scrubbing brushes make cleaning those nooks and crannies effortless and still guarantee you a cleaner result.



BROOMS

Extra Durable

Aluminium Handle

This long handled stiff bristled broom takes the back breaking effort out of cleaning mats.



VANISH

5 Litre

20 Litre

Heavy-duty cleaner makes cleaning ultra greasy matting a breeze.



Work Well Mats is a registered brand of Treadwell Group Pty Ltd. All Pictures and information are supplied as a guide only. The complete range of Work Well Mats products are developed, refined, made to meet and exceed stringent specifications for the worldwide market.

Important Note: Sales of products are subject to our Terms and Conditions which are available upon request. All specifications, colours and photos are a guide only and are subject to change without notice. Please ring to confirm details. Mats used in wet greasy applications may require scheduled cleaning to ensure optimum performance.

Work Well Mats

P 1800 312 528
E sales@workwellmats.au
workwellmats.au